UNIVERSITI PUTRA MALAYSIA

DYNAMIC APPROACH IN PREDICTING LAND PRODUCTION POTENTIAL FOR RUBBER: CASE STUDY IN EAST AND NORTHEAST THAILAND

(VOLUME I: TEXT)

SOMJATE PRATUMMINTRA

DYNAMIC APPROACH IN PREDICTING LAND PRODUCTION POTENTIAL FOR RUBBER: CASE STUDY IN EAST AND NORTHEAST THAILAND

(VOLUME I : TEXT)

by

SOMJATE PRATUMMINTRA

Thesis Submitted in the Fulfilment of the Requirements for the Degree of Doctor of Philosophy in the Faculty of Agriculture Universiti Putra Malaysia

June 2000

Dedicated
to
My Parents

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirements for the degree of Doctor of Philosophy

DYNAMIC APPROACH IN PREDICTING LAND PRODUCTION POTENTIAL FOR RUBBER: CASE STUDY IN EAST AND NORTHEAST THAILAND

By

SOMJATE PRATUMMINTRA

June 2000

Chairman : Prof. Dr. J. Shamshuddin

Faculty : Agriculture, Universiti Putra Malaysia

Co-chairman : Prof. Dr. E Van Ranst

Faculty : Science, Ghent University

Due to environmental limitations in Thailand, rubber tree has been introduced to non-traditional areas, which have poor conditions for tree growth. Land evaluation (LE) techniques are required to solve the problems in locating land suitable for rubber. However, these are limited by some missing parameters. This study aimed to develop a crop model to predict maximum potential rubber yield, and to quantify parameters for water balance equation which has not been done in Thailand before. Twenty three soil profiles in different climatic conditions in the eastern Thailand were chosen to establish a reliable production potential model. This model was then applied to predict the land suitable for rubber production in the Northeast Thailand.

The FAO crop model, termed as Radiation-thermal Production Potential (RPP) was used to estimate the potential yield from climatic data. It was found that the estimated yield was poorly correlated with the actual rubber yield. Water balance equation was then introduced to quantify soil physical parameters to be incorporated into the model. The results indicated that: (1) crop evapotranspiration in the East Thailand averaged around 3.4 mm day^{-1} for mature rubber (>10 years old) and 4.5 mm day^{-1} for immature rubber; (2) the easily available fraction of soil water (p) was 0.75, and was not influenced by soil texture; and (3) crop coefficient value (Kc) changed throughout the year. The Kc changes from 0.48 to 1.08 depending upon the season and maturity of the tree. The Kc values and percentage of the available water storage were related to the leaf fall period and were used to correct the KLAI factor in the crop model. The leaf fall season is considered as the month following the month when the available water storage becomes less than 25% when the KLAI was 0.6183 (0.7 of the maximum value). During the leaf fall period, the KLAI was 0.4415 (0.5 of the maximum KLAI value). This method of calculating production potential is called Water Limited Production (WPP). It was found that the yield estimated by the WPP was highly correlated with the actual rubber yield (R=0.74-0.93). The loss of tapping days was calculated and this was applied to validate the WPP model. This improved model is called as Maximum Production Potential (MPP). The yield estimated by the MPP was also highly correlated with the actual yield (R=0.81-0.94). Upon application of this model in Northeast Thailand, the dry season was found to be longer than before the model was applied.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebegai memenuhi keperluan untuk ijazah Doktor Falsafah

DYNAMIC APPROACH IN PREDICTING LAND PRODUCTION POTENTIAL FOR RUBBER: CASE STUDY IN EAST AND NORTHEAST THAILAND

By

SOMJATE PRATUMMINTRA

Jun 2000

Pengerusi : **Prof. Dr. J. Shamshuddin**

Fakulti : **Pertanian, UPM**

Pengerusi Besama : **Prof. Dr. E Van Ranst**

Fakulti : **Sains, Ghent Universiti**

Dihadkan oleh masalah alam sekitar, getah ditanam di kawasan bukan tradisi di Thailand. Keadaan dikawasan itu tidak baik untuk tumbesaran getah. Teknik penilaian tanah telah digunakan untuk menyelesaikan masalah tersebut dan mengesan kawasan yang sesuai untuk getah. Walau bagaimanapun, pengendaliannya telah dihalangi oleh ketiadaan beberapa data. Kajian ini bertujuan menyediakan satu model tanaman untuk meramal potensi pengeluaran getah maksimum disamping mengkuantiti parameter untuk parsamaan keseimbangan air. Kajian seperti ini belum pernah dijalankan di Thailand sebelum ini. Sebanyak 23 profil tanah di wilayah iklim berbeza di timur Thailand telah dipilih untuk

menyediakan satu model pengeluaran yang tepat. Model ini kemudianya digunakan untuk meramal kesesuaian tanah untuk pengeluaran getah di timur laut Thailand pula.

Model tanaman FAO yang bernama "Radiation Production Potential (RPP)" telah digunakan untuk mengira potensi hasil daripada data iklim. Walau bagaimanapun, hasil yang dikira melalui RPP berbeza dengan hasil getah sebenar.

Kemudian persamaan keseimbangan air telah diperkenalkan kedalan model untuk mengkuantiti parameter fizik tanah. Keputusan menunjukkan: (1) evapotranspirasi tanaman (ETc) untuk getah matang (>10 tahun) dan belum matang di wilayah timur Thailand masing-masing bernilai 3.4 dan 4.5 mm $hari^{-1}$; (2) bahagian air tersedia (p) untuk getah ialah 0.75 dan ianya tidak dikawal oleh tekstur tanah; dan (3) nilai koefisien tanaman (Kc) berubah mengikut musim. Nilai Kc bagi musim luruh (Mac) ialah 0.48, manakala bagi musim pembentukan daun (April ke Jun) ialah 0.58-0.98. Kc semasa matang ialah 1.08 dan Kc di peringkat akhir pengeluaran (November) ialah 0.83. Nilai Kc dan % storan air tersedia (AWS) berkait rapat dengan waktu luruh dan ianya digunakan untuk memperbaiki faktor KLAI model tanaman ini. Nilai KLAI bagi LAI maksimum (3.8) ialah 0.8333. Musim luruh berlaku selepas storan air tersedia bernilai <25%. Di dalam musim luruh, KLAI bernilai 0.4415 (50% daripada nilai KLAI maximum). Sebelum itu, nilainya ialah 0.6183. Kaedah yang mengira potensi pengeluaran ini disebut sebagai "Water

Limited Production (WPP)". Hasil getah yang dikira melalui kaedah ini berkorelasi tinggi dengan hasil sebenar (R = 0.74-0.93).

Kehilangan hari menoreh telah dikira deripada indeks harian dan ini telah digunakan untuk mengesahkan model WPP. Model yang diperbaiki ini disebut sebagai "Maximum Production Potential (MPP)". Anggaran hasil oleh model MPP juga berkorelasi tinggi dengan hasil getah sebenar (R = 0.81-0.94).

Akhiraya, model ini digunakan keatas tanah getah di wilayah timur laut Thailand. p bernilai 0.75 dan Kc yang sedia ada telah digunakan untuk penentuan keseimbangan air. Didapati musim kemarau bertambah lama. Dengan menggunakan pengkalan data yang dikeluarkan oleh model tanaman ini, satu peta MPP telah disediakan untuk digunakan oleh petani di timur laut Thailand.

ACKNOWLEDGEMENTS

I wish to express my sincere thanks and gratitude to all individuals and institutions that have contributed to make this study successful and the completion of this thesis possible.

I would like to thank very much my Promoter, Prof. Dr. E. Van Ranst, (Laboratory of Soil Science, Department of Geology and Soil Science, Faculty of Science, Ghent University) and also my Co-Promoter Prof. Dr. Ir. H. Verplancke (Laboratory of Soil Physics, Department of Soil Management and Soil Care, Faculty of Agricultural and Applied Biological Science, Ghent University). Their intelligent awareness, continuous guidance, encouragement and constructive ideas have been a constant stimulus to continue this research.

I am deeply indebted to Prof. G. Stoops, the director of International Training Center for Post-graduate Soil Scientist (Ghent University) for accepting me as a Ph.D. student in the frame of a twining program between Ghent University and Universiti Putra Malaysia and his continuous support from the beginning of this study in 1996.

I wish to express my gratitude and thanks to Prof. Dr. J. Shamshuddin, (Faculty of Agriculture, Universiti Putra Malaysia), the chairman of the Advisory Committee at UPM and my Co-promoter, for his advice, assistance and hospitality during my stay at Universiti Putra Malaysia.

The other advisory committee members, Assoc. Prof. Dr. Siti Zauya Darus (Department of Land Management, Faculty of Agriculture, UPM), and Dr. Yew Foong Kheong (Malaysian Rubber Board) are gratefully acknowledged for their constructive remarks and detailed reviews of this dissertation.

I am deeply indebted to the Rubber Research Institute, Department of Agriculture (DOA), Ministry of Agriculture and Cooperation Thailand for granting me leave to do my Ph.D. research and their financial support for the field studies.

I wish to express my gratitude and thanks to Dr. Sanit Samosorn, former Deputy Director of DOA, and former Director of Rubber Research Institute, Mr. Samer Somnak, former Director of Chachoengsao Rubber Research Centre (CRRC), for their advice and financial support this research and during the field work in Thailand.

I also express my sincere gratitude to the Department of Environmental Quality Extension, Ministry of Science and Technology, Thailand that supported me the digital base map.

I am deeply also specially indebted to all of my colleague, Mr. Chumpon Wiwatanawanitch, Mr. Nipon Thupmongkol, Mr. Yuttakorn Thammasiri, Miss. Porntip Detchudom, Mrs. Yuwadee Mitsiri, Mrs. Charuk Tipporm, Miss

Khanya Tassana and all of the stuff in Tungphen Rubber Research Station and Chachoengsao Rubber Research Center, for collecting all the field data with diligence and endurance.

I am also grateful for the financial support from Flemish Inter-university Council (VI.I.R) and the Belgian Administration for Development Co-operation (A.B.O.S.).

I take the opportunity also to express my sincere thanks and gratitude to all of my friends in Belgium, Malaysia and in Thailand who supported in one way or another to complete of the thesis during my stay in Ghent, Belgium, Malaysia and during my field works study in Thailand.

I wish to express my sincere gratitude to Dr. G. Baert (Laboratory of Soil Science, Ghent University), who supported and guided me in the GIS system. My appreciation also extended to Mr. Wim Cornelis (Laboratory of Soil Physics, Ghent University), who help me in the mathematical models and Mr. Jan Restiaen (Laboratory of Soil Physics, Ghent University), who helped me to re-analyses pF curve data for all profile. I wish to thank you all staff members and technical assistance of International Training Center for Post-graduate Soil Scientist (Ghent University).

I would also like to express my sincere gratitude to all the staff members and technical assistance of Department of Land Management, Faculty of Agriculture, Universiti Putra Malaysia.

My appreciations are also extended to the rubber plantation holders for fieldwork facilities.

I am most grateful to my father, my brothers and my sisters, for supporting me and my family during my stay abroad.

Lastly but not least, I am most grateful to my wife; Porntip Pratummintra and my daughter, Kittiya Pratummintra, who have waited with patience in Thailand for the completion of my study and helped me in my literature search. This thesis dedicated to them.

I certify that an Examination Committee met on 8 June, 2000 to conduct the final examination of Somjate Pratummintra on his Doctor of Philosophy thesis entitled " Dynamic Approach in Predicting Land Production Potential for Rubber: Case Study in East and Northeast Thailand" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Act 1981. The committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

Professor, Dr. Wong Kai Choo
Faculty of Agriculture
University Putra Malaysia
(Chairman)

Professor, Dr. Shamshuddin Jusop
Faculty of Agriculture
University Putra Malaysia
(Member)

Associate Professor, Dr. Siti Zauyah Darus
Department of Land Management
Faculty of Agriculture
University Putra Malaysia
(Member)

Dr. Yew Foong Kheang
Malaysian Rubber Board
(Member)

Professor, Dr. Eric Van Ranst
Faculty of Science
University of Gent, Belgium
(Member)

Professor, Dr. Hubert Verplancke
Faculty of Agricultural and Applied Biological Sciences
University of Gent
(Member)

Dr.Ghulam Mohammed Hashim
Fund Research Unit
Malaysian Agriculture Research
and Development Institute (MARDI)
(External Examiner)

MOHD GHAZALI MOHAYIDIN, Ph.D.
Professor/Deputy Dean of Graduate School,
Universiti Putra Malaysia

Date:.....

This thesis submitted to the Senate of Universiti Putra Malaysia and was accepted as fulfilment of the requirements for the degree of Doctor of Philosophy.

KAMIS AWANG, Ph.D.
Associate Professor
Dean of Graduate School,
Universiti Putra Malaysia

Date: 13 JUL 2000

I hereby declare that this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at UPM or other institutions.

Signed



Candidate.

SOMJATE PRATUMMINTRA

Date: 9 June 2000

TABLE OF CONTENTS
(Volume I : Text)

TABLE OF CONTENTS

Volume II : Database and Calculation Results of Models

APPENDIX **Page**

LIST OF TABLES

Table No.		Page

Table No.		Page
5.1	The Photosynthetically Active Radiation on Very Clear Days (Ac) and the Daily Gross Photosynthesis Rate of Crop Canopies on very Clear (bc) and Overcast (bo) Days.....	5.18
5.2	Daily Average Month by Month of Astronomically Possible Sunshine Duration Hours, for the Northern Latitude.....	5.19
5.3	Maximum Assimilation Rate (Pm), Photosynthethic Quantum Yield (PQY) and Dark Respiration (DRR) of some Rubber Clones.....	5.20
5.4	Canopy Characteristics and Dry Matter Production in Twelve Years Old Hevea sp. under Two Planting Density.	5.22
5.5	Effect of Different Systems of Exploitation on Biomass Production, Harvest Index and Yield in ***Hevea brasiliensis***.....	5.22
5.6	The Cuplump of RRIM 600 rubber Clone in the Study Area.....	5.25
5.7	The Corrected Cuplump with 15% Moisture Content of RRIM 600 rubber Clone in the Studied Area.....	5.26
5.8	The Calculated Actual Yield of RRIM 600 Rubber Clone...	5.27
5.9	The Correlation and Statistical Analysis of Actual Yield and Soil Index.....	5.28
5.10	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile C 9603.....	5.29

Table No. **Page**

Table No.		Page
5.22	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile R 9603.....	5.41
5.23	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile R 9604.....	5.42
5.24	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile R 9605.....	5.43
5.25	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile R 9606.....	5.44
5.26	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile R 9607.....	5.45
5.27	The Calculated Potential Yield for RRIM 600 Rubber Clone in Profile T 9601.....	5.46
5.28	The Correlation of Actual and Potential Yield for RRIM 600 Clone in East Thailand.....	5.47
6.1	Pan Coefficients for Class A Pan	6.17
6.2	Crop Group According to Soil Water Depletion.....	6.23
6.3	Soil Water Depletion Fraction for Crop Groups and ETm..	6.23
6.4	Total Water Storage at Field Capacity, Permanent Wilting Point	6.29
6.5	The Available Water Storage in each Profile.....	6.30